

To: Wagner, Christine[Wagner.Christine@epa.gov]
Cc: Nonresponsive based on revised scope [redacted]com]; Nonresponsive based on revised scope [redacted]@tetrattech.com]
From: Burman, Jarmael[/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=7FCC85CF014C4D33B0EC8C973172A0D4-BURMAN, JARMAEL]
Sent: Tue 1/19/2021 2:20:04 PM (UTC)
Subject: Shiloh Church Road Removal RAS Case Number 49307/CT9105 - Final laboratory Assignment Notification
CT9105 Final Lab Assnt. Report.pdf

CLIENT’S LABORATORY ASSIGNMENT NOTIFICATION

The Shiloh Church Road Removal request you submitted January 15, 2021 has been assigned RAS Case Number 49307; you will receive a separate notification from the Sample Management Office (SMO) once all laboratory assignments have been made.

Please follow all instructions regarding notification of sample shipments for your RAS Case.

If you have any questions, please do not hesitate to contact me.

Jarmael A. Burman
US EPA Region 3 - CLP PO/RSCC/DDS/QA Chemist/DAS PO
701 Mapes Road
Fort Meade, Maryland 20755-5350
(410) 305-2743 (office)
(410) 305-3095 (fax)